

# **Boa™ Coil** Expansion Anchors

# Heavy-Duty, Reusable Fastening





Standard replacement coils for 1/2", 5/8", and 3/4" diameter bolts

## DESCRIPTION/SUGGESTED SPECIFICATIONS

# **Expansion Type Anchors**—

**SPECIFIED FOR ANCHORAGE INTO CONCRETE** 



The Boa™ Coil is a high performance expansion anchor providing through fixture fastening and easy removal to keep the job moving. It's reusable with the coil replacement anchors making this anchor a low cost solution.

Ideal combination of value, performance and reusability make the Boa Coil the choice for Forming and tilt-wall contractors

### **ADVANTAGES**

- Easy installation
- Removable
- Reusable

- High shear strength
- Grade 5 Bolt

### **APPLICATIONS**








- Concrete formwork
- Load bearing angles, beams and columns
- · Machinery holddown
- · Jersey barrier
- · Glare screens
- · Light rail/commuter work

#### **FEATURES**







After Torque


Fast Installation — through fixture installation

Resistant to cyclic loading


**Expansion coil locks** into concrete to give cast-in type performance

## **Boa Coil Anchors**


#### INSTALLATION STEPS











# NOTE: To achieve maximum loads the installation process needs to be carried out as follows:

- 1. Using the fixture as a template, drill the correct diameter and depth hole.
- 2. Remove debris with vacuum or hand pump.
- Insert the assembled Boa Coil anchor. (The coil anchor tab points up the anchor.)Tap anchor down to depth set mark and stop.
- 4. Tighten until washer is firmly held to the fixture and stop. Number of turns to set anchor: 1/2" 3-4 turns, 5/8" and 3/4" 4-5 turns. Ensure washer is tight and snug fit.
- 5. The Boa Coil anchor is ready to take load. (The bolt can be removed leaving the coil in the hole.)

The Boa coil anchor can be reused up to 3 times in new holes.

#### **SELECTION CHART**

## **Boa Coil** Anchors

PART NO.	ANCHOR DIA In. (mm)	SOCKET SIZE In.	DRILL BIT DIA. In. (mm)	EFFECTIVE LENGTH In. (mm)	FIXTURE THICKNESS AT MINIMUM EMBEDMENT TO BE FASTENED In. (mm)	QTY/WT PER BOX Lbs.	QTY/WT PER MASTER CTN Lbs.
RHCA-1230	1/2 (12.7)	3/4	1/2 (12.7)	3 (76.2)	3/8 (9.5)	25 / 4.5	150 / 27.2
RHCA-1240	1/2 (12.7)	3/4	1/2 (12.7)	4 (101.6)	1-3/8 (35.0)	25 / 5.9	150 / 35.6
RHCA-1254	1/2 (12.7)	3/4	1/2 (12.7)	5-1/2 (139.7)	2-7/8 (73.0)	25 / 7.8	150 / 46.9
RHCA-5834	5/8 (15.9)	15/16	5/8 (15.9)	3-1/2 (88.9)	3/8 (9.5)	20 / 8.8	120 / 52.5
RHCA-5850	5/8 (15.9)	15/16	5/8 (15.9)	5 (127.0)	1-7/8 (47.6)	15 / 8.5	90 / 51.0
RHCA-3444	3/4 (19.1)	1-1/8	3/4 (19.1)	4-1/2 (114.3)	1/4 (6.4)	10 / 6.4	60 / 38.3
RHCA-3460	3/4 (19.1)	1-1/8	3/4 (19.1)	6 (152.4)	1-3/4 (44.5)	10 / 8.2	60 / 49.1



Replacement coil available for easy re-use with Red Head Boa Coil Anchors only.

COIL REPLACEMENT PART NO.	QTY/WT PER BOX Lbs.	QTY/WT PER MASTER CTN Lbs.			
RHC-12 (1/2")	100 / 2.8	600/16.9			
RHC-58 (5/8")	100 / 2.2	600/13.1			
RHC-34 (3/4")	100 / 1.3	600/7.5			

#### **PERFORMANCE TABLES**

## **Boa Coil** Anchors

# **Ultimate concrete/steel capacity in concrete (1)**

ſ	ANCHOR	HOLE DIA.	EFFECTIVE	FIXTURE	TURNS	ULTIMATE CONCRETE CAPACITY (2) (3)							ULTIMATE STEEL STRENGTH (4)	
	In. (mm)	In. (mm)	EMBEDMENT DEPTH In. (mm)	In. (mm)	TO SET ANCHOR	2,000 PS TENSION (5) Lbs. (kN)	(13.8 MPa) SHEAR Lbs. (kN)	4,000 PS TENSION (5) Lbs. (kN)	I (27.6 MPa) SHEAR Lbs. (kN)	6,000 PSI TENSION (5) Lbs. (kN)	(41.4 MPa) SHEAR Lbs. (kN)	LBS. TENSION Lbs. (kN)	(kN) SHEAR Lbs. (kN)	
	1/2 (12.7)	1/2 (12.7)	2 (50.8) 3 (76.2)	9/16 (14.3) 9/16 (14.3)		4,039 (17.9) 7,403 (32.9)	6,070 (27.0) 12,082 (53.7)	5,715 (25.4) 10,471 (46.6)	8,590 (38.2) 17,089 (76.0)	6,994 (31.1) 12,822 (57.0)	10,516 (46.8) 20,937 (93.1)	19,384 (86.2)	14,456 (64.3)	
	5/8 (15.9)	5/8 (15.9)		11/16 (17.5) 11/16 (17.5)		5,291 (23.5) 10,855 (48.3)	8,800 (39.1) 19,999 (89.0)	7,483 (33.3) 15,355 (68.3)	12,445 (55.4) 28,285 (125.8)	9,162 (40.8) 18,802 (83.6)	15,242 (67.8) 34,636 (154.0)	30,152 (134.1)	21,937 (97.6)	
	3/4 (19.1)	3/4 (19.1)		13/16 (20.6) 13/16 (20.6)		8,479 (37.7) 13,555 (60.3)	16,567 (73.7) 27,239 (121.2)	11,991 (53.3) 19,171 (85.3)	23,427 (104.2) 38,518 (171.3)	14,682 (65.3) 23,478 (104.4)	28,690 (127.6) 47,173 (209.8)	43,360 (192.9)	32,031 (142.5)	

(1) Use lower value of either concrete or steel (2) Concrete capacity based on Concrete Capacity Design method and verified by test data (3) Influence factors must be applied to concrete strength values (4) Steel strength based on .57 Fu Ag for shear and 0.75 Fu Ag for tension (5) Test results when reused four times; maximum 20% reduction in tensile capacity; no reduction in shear

## **Boa Coil** Anchors

## Allowable concrete/steel capacity in concrete (1)

ANCHOR DIAMETER	HOLE DIA.	EFFECTIVE EMBEDMENT	FIXTURE HOLE DIA.	TURNS TO SET	RECOMMENDED WORKING LOADS IN CONCRETE (2) (3)  2,000 PSI (13.8 MPa)						ALLOWABLE STEEL STRENGTH (4) LBS. (kN)	
In. (mm)		DEPTH In. (mm)	In. (mm)	ANCHOR	TENSION (5) Lbs. (kN)	SHEAR Lbs. (kN)	TENSION (5) Lbs. (kN)	SHEAR Lbs. (kN)	TENSION (5) Lbs. (kN)	SHEAR Lbs. (kN)	TENSION Lbs. (kN)	SHEAR Lbs. (kN)
1/2 (12.7)	1/2 (12.7)	2 (50.8) 3 (76.2)	9/16 (14.3) 9/16 (14.3)		1,011 (4.5) 1,852 (8.2)	1,517 (6.7) 3,020 (13.4)	1,430 (6.4) 2,619 (11.6)	2,147 (9.5) 4,272 (19.0)	1,751 (7.8) 3,208 (14.3)	2,629 (11.7) 5,234 (23.3)	8,529 (37.9)	5,579 (24.8)
5/8 (15.9)	5/8 (15.9)		11/16 (17.5) 11/16 (17.5)		1,324 (5.9) 2,715 (12.1)	2,200 (9.8) 5,000 (22.2)	1,872 (8.3) 3,840 (17.1)	3,111 (13.8) 7,071 (31.5)	2,293 (10.2) 4,703 (20.9)	3,810 (16.9) 8,660 (38.5)	13,266 (59.0)	8,466 (37.7)
3/4 (19.1)	3/4 (19.1)	3-1/4 (82.6) 4-1/2 (114.3)	13/16 (20.6) 13/16 (20.6)		2,121 (9.4) 3,390 (15.1)	4,141 (18.4) 6,810 (30.3)	2,999 (13.3) 4,794 (21.3)	5,556 (24.7) 9,630 (42.8)	3,673 (16.3) 5,872 (26.2)	7,172 (31.9) 11,793 (52.4)	19,078 (84.9)	12,362 (55.0)

(1) Use lower value of either concrete or steel (2) Safety factor 4 (3) Influence factors must be applied to concrete strength values (4) Steel strength based on .22 Fu Ag for shear and 0.33 Fu Ag for tension

(5) Test results when reused four times; maximum 20% reduction in tensile capacity; no reduction in shear